

(after it, together with its female, had destroyed nearly two hundred fowls) bitterly complained of its craftiness. From this bold curiosity in the disposition of the Culpeu, Molina thought that it was the same animal as that described by Byron at the Falkland Islands, but we now know that they are different. The Culpeu burrows holes under ground, often wanders about by day, is very strong and fleet. When riding one day in the valley of Copiapó, accompanied by a half-bred greyhound, I happened to come across one of these foxes; and although the ground was, in the first part of the chase, level, it soon entirely distanced its pursuer. Whilst running, it barked so like a dog, that until it had run some way a-head of the greyhound, I could not tell from which animal the noise proceeded. After the Culpeu had reached the mountains, it made a sudden bend from its course, and returned in a nearly parallel line, but at the base of a steep cliff of rock; it then quietly seated itself on its haunches, and seemed to listen with much satisfaction to the dog, which was running the scent on the mountain side, above its head."—D.

3. CANIS FULVIPES.

PLATE VI.

Canis fulvipes, *Martin*, Proceedings of the Zoological Society of London, 1837, p. 11.

C. suprà niger, albo adpersus, capite lateribusque fuscis, sordidè albo nigroque adpersis; rostro superiore, mentoque fusco-nigricantibus; guld, labiis superioribus, femoribusque ad partem anteriorem, sordidè albis; pectore abdomineque fusciscentibus; auribus externè rufo-castaneis; brachiis internè, tarsis, digitisque fusciscenti-fulvis; artubus posticis extùs supra calcem fusco-nigrescentibus; caudæ colore ad basin ut in corpore, apice nigro.

DESCRIPTION.—This species is considerably less than the common European fox, (*Canis Vulpes*, Auct.) its weight probably would scarcely exceed half that of the latter animal. The form of the body is stout, the limbs are short and rather slender; the head is also short, and the muzzle is pointed; the ears are of moderate size. The tail is about equal to half the whole length of the body, head included; and compared with that of ordinary foxes, is much less bushy, especially at the base. The general hue of this animal is very dark; the fur is rather short, and harsh to the touch; the under fur is abundant, and of a woolly texture. On the back, all the hairs are of a deep brown colour, annulated with white near the apex, and black at the apex. When the fur is

in its ordinary position, the brown colour is not seen, and the black and white produce a grizzled appearance; the black colour, however, predominates. On the sides of the body each hair is grayish at the base, then pale brown, near the apex annulated with white, and at the apex black: the three last mentioned colours are exhibited in about equal proportions (the fur being in its natural position) over the haunches and shoulders, but between these two parts, the brown and white colours are the more conspicuous. The hairs of the head are coloured in the same way as those of the sides of the body, excepting that the brown portion of each hair, is replaced by rusty brown, which gives a rufous hue to this part. The muzzle and chin are of a sooty brown colour. A dirty white patch is observable on each side of the muzzle at the apex, and this colour is extended along the margin of the upper lip on to the lower part of the cheeks, and over the whole of the throat; all the hairs in these parts (with the exception of those on the lips) being of a deep brownish gray colour, with their apical portions only, white. The ears are covered internally with long yellowish white hairs; towards, and on the margin of the ears externally, the hairs are of a buff colour, on the remaining portion of the ears, and on the sides of the neck, they are of a reddish chestnut hue. The hairs of the under parts of the body are brown, those near the hinder legs, and between them, are of a dirty white colour at the apex; towards the rump they are of a yellowish brown colour. The hairs of the tail are brown, black at the apex, and annulated with white near the apex; on the apical portion the hairs are black, and brown at the base. The fore legs are of a brown colour externally, internally they are of a brownish fulvous hue; such is also the colour of the feet. The fore part of the posterior legs is whitish, and there is a large blackish patch on the outer side, and extending around the posterior part, above the heel.

	In.	Lines.		In.	Lines.
Length from nose to root of tail . . .	24	0	Length of ear . . .	2	3½
to base of ear . . .	0	4¾	Height of body at shoulders . . .	10	6
of tail (hair included) . . .	10	0			

Habitat, Chiloe. (*December.*)

"I killed this animal on the sea-beach, at the southern point of the island; it is considered extremely rare in the northern and inhabited districts. Molina mentions this fox, which he falsely considered as the *C. lagopus*, under the name of the *Payne Gurú*, and he adds, that in the Archipelago of Chiloe, it is found of a black colour. From this circumstance I am induced to believe that the species is confined to these islands."—D.